

Shinco

Shinco SDP 1720C Portable 7 inch Widescreen DVD Player With Free Carry Case.

The portable DVD player model 1720 from Shinco ensures both high-definition video viewing with its 7" TFT 16/9 screen (17.78 cm), and optimal audio quality thanks to its digital audio components, giving optimum listening quality.

Comes with a beautiful brushed aluminium finish this high quality unit supports various multimedia formats.

Also comes complete with a good quality carry case, incorporating a car head rest holder for the DVD player.

This player can also be attached to a external TV tuner which can be bought separately
It also incorporates a built in card reader which you use to view all your favourite photos in a slide show great for when your on holiday.

Comes with an AV cable which can be used to connect to TV or to input an external source



PRODUCT FEATURES

- Supports MPEG4 · DivX · XviD · MP3 · JPEG and many more
- Dolby digital and DTS sound output
- TV tuner support
- Built in card reader supports SD,MMC and Sony memory stick
- HDCD decoder
- stereo audio output
- Multi-angle / subtitle capability
- Zoom and frame by frame play
- Parental lock control
- Auto power off

- **Dolby digital and DTS sound output**
- **Playable Disk Types DVD Video • VCD • SVCD • DVD-RAM • DVD-R • DVD-RW • DVD+R • DVD+RW • CD (Audio) • CD-R • CD-RW • HDCD**
- **Outputs Composite x 1, Analog Audio x 1, Digital Audio Coaxial x 1, Digital Audio Optical x 1, Headphone Jack**
- **Multi Region**

Box Content

- **Multi-function remote control**
- **AC adaptor**
- **Headphones**
- **High capacity Rechargeable lithium battery**
- **Composite-video interconnect**
- **In car charger**
- **Carry case**



- **Laser - wavelength 650nm**
- **Video system - PAL / NTSC / Auto**
- **Frequency response -20Hz - 20Khz +- 1dB**
- **Signal / noise ratio >=95dB**
- **Connections- 1 x composite input, 1 x analog output, 1 x coaxial output**
- **Audio distortion - =<-80(1KHz)**
- **Channel separation- >=85dB**
- **Dynamic range>-85dB**
- **Analog audio out Output 2V+-10%, impedance 10kohm**
- **Digital audio out Output 0.5Vp-p**
- **Video out -Output 1Vp-p+-20%, impedance 75ohm neg polarity**
- **Power supply- DV 9V 2.2 A**
- **Temperature range- 5 to 35degC**
- **Power consumption - <20W**
- **Dimensions -192 x 142 x 37mm**
- **Weight - 825g approx**



